



Z-LINE® SERIES

AIR CLEANER FILTERS

FEATURES

Glasfloss Z-Line Series Air Cleaner Replacement Filters offer convenient alternatives when replacement of the original filter is necessary.

- The Z-Line 700 SG filter replacement option for Aprilaire® (formerly Space-Gard®) media #201 and #401, features a convenient cartridge design to save time and money.
- The Z-Line 500 AB and 300 AB filters are replacement options for the Trion Air Bear® and Air Cub® filters.
- The Z-Line 400 HW is a filter replacement option for the Honeywell® F-100 cartridge filters.
- The Z-Line 400 HWR is a filter replacement option for the Honeywell® FC40R cartridge filters.

Glasfloss Z-Line Series Air Cleaner Replacement Filters achieve a MERV 8, MERV 11 or MERV 13 rating per ANSI/ASHRAE 52.2 Test Standard.

CONSTRUCTION

Glasfloss Z-Line Series Air Cleaner Replacement Filters utilize 100% synthetic media that is laminated to a galvanized steel backing which stabilizes the media during operation.


The pleats are formed in a radial configuration and controlled with separators on the air-entry side to ensure proper dust-loading. The pleated cartridge is encapsulated and bonded into a heavy-duty beverage-board frame to ensure filter integrity in high-moisture applications. A gasket is standard on Z-Line 700 SG, 500 AB and 300 AB Series filters to prevent air bypass. Each filter is sealed in plastic to prevent contamination before use.

APPLICATIONS

Glasfloss Z-Line Series Air Cleaner Replacement Filters are the perfect option for maintaining or upgrading specific residential or commercial systems. All Glasfloss air cleaner filters install easily without modification to the original housing.

OPTIONS


A carbon media option is available on the Z-Line 700 SG, 500 AB and 300 AB models for odor control applications.



- MERV 8, MERV 11 or MERV 13
- Replacement Options for Aprilaire (formerly Space-Gard), Trion and Honeywell Air Cleaners
- 100% Synthetic Media
- Heavy-duty Moisture-Resistant Construction
- Carbon Media Available for Odor Control

SPECIFICATIONS

Glasfloss Z-Line Series Air Cleaner Replacement Filters shall be of the extended-surface pleated media type. The media utilized shall be 100% synthetic fibers. An expanded metal reinforcement will be laminated to the air-exit side of the media by a thermo-setting adhesive to maintain continuity of the radial pleats. The expanded metal shall be galvanized to resist rust and corrosion. Moisture-resistant separators are used to ensure pleat integrity during operation. The pleated cartridge will be bonded to the peripheral interior of the outer frame. A heavy-duty moisture-resistant die-cut beverage board will be utilized for an encasing frame. The frame face will be internally laminated to the pleated cartridge apexes. Gasketing on the assembled filter prevents air bypass on the Z-Line 700 SG, 500 AB and the 300 AB. Each Z-Line Series Air Cleaner Replacement Filter is individually wrapped in a plastic sleeve to protect it from contamination before installation. All filters shall be Class 2 under U.L. std. 900 and be rated up to 180 degrees Fahrenheit. The Z-Line Series Air Cleaner Replacement Filters shall be rated MERV 8, MERV 11 or MERV 13 when tested in accordance with the ANSI/ASHRAE 52.2 Test Standard.



“Serving You With Locations Throughout The Nation”

Glasfloss has a policy of uninterrupted research, development and product improvement and reserves the right to change design and specifications without notice.

Z-LINE® SERIES

AIR CLEANER FILTERS

MODEL NUMBER	SIZE W x H x D NOMINAL	SIZE W x H x D EXACT	RATED VELOCITY FPM	INITIAL RESIST. IN. W.G.			MEDIA SQUARE FEET	SIZE W x H x D NOMINAL MM	RATED VELOCITY M/H	INITIAL RESIST. PASCALS		
				MERV 8	MERV 11	MERV 13				MERV 8	MERV 11	MERV 13

Z-Line 700 SG

SGP20256	20 x 25 x 6	19-3/4 x 24-1/4 x 6	300	.11	.13	.17	42.00	508 x 635 x 152	5490	27.3	32.3	42.2
SGP16276	16 x 27 x 6	15-3/8 x 27 x 6	300	.11	.13	.17	33.42	406 x 686 x 152	5490	27.3	32.3	42.2
SGP20256AC	20 x 25 x 6	19-3/4 x 24-1/4 x 6	300	.21	.24	-	42.00	508 x 635 x 152	5490	52.2	59.7	-

AC = Activated Carbon

Z-Line 500 AB & 300AB

ABP16255	16 x 25 x 5	15-3/4 x 24-1/4 x 4-7/8	300	.12	.14	.18	28.05	406 x 635 x 127	5490	29.8	34.8	44.6
ABP20205	20 x 20 x 5	19-1/4 x 20-3/4 x 4-7/8	300	.12	.14	.18	23.45	508 x 508 x 127	5490	29.8	34.8	44.6
ABP20255	25 x 20 x 5	24-1/4 x 19-3/4 x 4-7/8	300	.12	.14	.18	32.00	635 x 508 x 127	5490	29.8	34.8	44.6
ABP16253	16 x 25 x 3	15-7/8 x 24-1/4 x 2-7/8	300	.21	.23	-	11.50	406 x 635 x 76	5490	52.2	57.2	-
ABP20255AC	25 x 20 x 5	24-1/4 x 19-3/4 x 4-7/8	300	.22	.24	-	32.00	635 x 508 x 127	5490	54.7	59.6	-

AC = Activated Carbon

Z-Line 400 HW


HWP13204	12-1/2 x 20 x 4	12-1/2 x 20 x 4-3/8	300	.13	.15	.19	12.37	318 x 508 x 102	5490	34.8	37.3	44.6
HWP16204	16 x 20 x 4	16 x 19-7/8 x 4-3/8	300	.13	.15	.19	15.34	406 x 508 x 102	5490	34.8	37.3	44.6
HWP16254	16 x 25 x 4	16 x 24-7/8 x 4-3/8	300	.13	.15	.19	19.28	406 x 635 x 102	5490	34.8	37.3	44.6
HWP20204	20 x 20 x 4	20 x 19-7/8 x 4-3/8	300	.13	.15	.19	19.44	508 x 508 x 102	5490	34.8	37.3	44.6
HWP20254	20 x 25 x 4	20 x 24-7/8 x 4-3/8	300	.13	.15	.19	24.43	508 x 635 x 102	5490	34.8	37.3	44.6

Z-Line 400 HWR


HWR12124	12 x 12 x 4	11-3/4 x 11-3/4 x 3-3/4	300	.15	.17	-	4.45	305 x 305 x 102	5490	37.3	42.3	-
HWR12244	12 x 24 x 4	11-3/4 x 23-3/4 x 3-3/4	300	.15	.17	-	10.08	305 x 610 x 102	5490	37.3	42.3	-
HWR14144	14 x 14 x 4	13-3/4 x 13-3/4 x 3-3/4	300	.15	.17	-	6.59	356 x 356 x 102	5490	37.3	42.3	-
HWR14204	14 x 20 x 4	13-3/4 x 19-3/4 x 3-3/4	300	.15	.17	-	10.03	356 x 508 x 102	5490	37.3	42.3	-
HWR14244	14 x 24 x 4	13-3/4 x 23-3/4 x 3-3/4	300	.15	.17	-	12.32	356 x 610 x 102	5490	37.3	42.3	-
HWR14254	14 x 25 x 4	13-3/4 x 24-3/4 x 3-3/4	300	.15	.17	-	12.89	356 x 635 x 102	5490	37.3	42.3	-
HWR14304	14 x 30 x 4	13-3/4 x 29-3/4 x 3-3/4	300	.15	.17	-	14.97	356 x 762 x 102	5490	37.3	42.3	-
HWR16204	16 x 20 x 4	15-3/4 x 19-3/4 x 3-3/4	300	.15	.17	-	10.94	406 x 508 x 102	5490	37.3	42.3	-
HWR16254	16 x 25 x 4	15-3/4 x 24-3/4 x 3-3/4	300	.15	.17	-	14.06	406 x 635 x 102	5490	37.3	42.3	-
HWR18184	18 x 18 x 4	17-3/4 x 17-3/4 x 3-3/4	300	.15	.17	-	11.30	450 x 450 x 102	5490	37.3	42.3	-
HWR18244	18 x 24 x 4	17-3/4 x 23-3/4 x 3-3/4	300	.15	.17	-	15.68	450 x 610 x 102	5490	37.3	42.3	-
HWR18304	18 x 30 x 4	17-3/4 x 29-3/4 x 3-3/4	300	.15	.17	-	20.18	450 x 762 x 102	5490	37.3	42.3	-
HWR20204	20 x 20 x 4	19-3/4 x 19-3/4 x 3-3/4	300	.15	.17	-	14.58	508 x 508 x 102	5490	37.3	42.3	-
HWR20244	20 x 24 x 4	19-3/4 x 23-3/4 x 3-3/4	300	.15	.17	-	17.92	508 x 610 x 102	5490	37.3	42.3	-
HWR20254	20 x 25 x 4	19-3/4 x 24-3/4 x 3-3/4	300	.15	.17	-	18.75	508 x 635 x 102	5490	37.3	42.3	-
HWR20304	20 x 30 x 4	19-3/4 x 29-3/4 x 3-3/4	300	.15	.17	-	22.79	508 x 762 x 102	5490	37.3	42.3	-
HWR24244	24 x 24 x 4	23-3/4 x 23-3/4 x 3-3/4	300	.15	.17	-	22.40	610 x 610 x 102	5490	37.3	42.3	-
HWR24304	24 x 30 x 4	23-3/4 x 30-3/4 x 3-3/4	300	.15	.17	-	27.99	610 x 781 x 102	5490	37.3	42.3	-

Tolerances shall be +/- 1/8" for height, width and +/- 1/16" depth. Recommended final resistance is .50" in. w. g.

STANDARD PRESSURE DROP



MINIMUM PARTICLE SIZE EFFICIENCY





700 SG

Z-Line 700 SG (Aprilaire®) : A replacement option for the Aprilaire (formerly Space-Gard) media #201 and #401. The Z-Line 700 SG comes factory-assembled to assure quality and easy installation. The Z-Line 700 SG incorporates 100% synthetic fibers that are thermally-bonded, and manufactured in an engineered gradient structure. The Z-Line 700 SG achieves a MERV 8, MERV 11 or MERV 13 rating when tested in accordance with the ANSI/ASHRAE 52.2 Test Standard. Pre-applied gasketing on the assembled filters helps prevent air bypass.

Installation is quick:

- a) Simply remove the internal plastic frame from the external metal housing and remove the dirty filter and its components.
- b) Install the new Z-Line 700 SG filter with the metal grid (air-exit side) facing up. Once the plastic frame is closed, it will slide back into the metal housing.

The Glasfloss Z-Line 700 SG filter is also available in the 700 SGX, an activated carbon media. Refer to Z-Line SGX when ordering. Each filter is sealed in plastic to avoid contamination before use.

Aprilaire is a registered trademark of Research Products Corporation.



500 AB & 300 AB

Z-Line 500 AB (Air Bear®) & 300 AB (Air Cub®) : These pleated filters are an ideal replacement option for the Trion Air Bear and Air Cub filters. The Z-Line 500 AB & 300 AB filters incorporate 100% synthetic fibers that are thermally-bonded, and manufactured in an engineered gradient structure. Z-Line 500 AB & 300 AB filters achieve a MERV 8, MERV 11 or MERV 13 rating when tested in accordance with the ANSI/ASHRAE 52.2 Test Standard. Pre-applied gasketing on the top and bottom of the filters help prevent air bypass. No modification to the filter frame is necessary.

The Glasfloss 500 AB & 300 AB filters are available with activated carbon to absorb unpleasant household odors. Refer to Z-Line 500 ABX & 300 ABX when ordering. Each filter is sealed in plastic to avoid contamination before use.

Air Bear and Air Cub are registered trademarks of Trion Inc.




400 HW & HWR

Z-Line 400 HW & HWR (Honeywell®) : Replacement option for the Honeywell F-100 and FC40R air cleaner filters. The Z-Line 400 HW and 400 HWR incorporate 100% synthetic fibers that are thermally-bonded, and manufactured in an engineered gradient structure. The Z-Line 400 HW achieves a MERV 8, MERV 11, or MERV 13 rating and 400 HWR achieve a MERV 8 or MERV 11 rating when tested in accordance with the ANSI/ASHRAE 52.2 Test Standard. Each filter is sealed in plastic to avoid contamination before use.

Honeywell is a registered trademark of Honeywell Products, Inc.

Glasfloss HWR Filter (Wall or Ceiling Mounted)
 Requires a Minimum 3 7/8" Duct Depth Opening to Accept This Filter.



- MERV 8 or MERV 11
- 100% Synthetic Fibers
- High Initial Efficiency
- Thermally Bonded
- Fibers Resist Shedding
- Media Doesn't Absorb Moisture
- Continuous Fibers
- No Chemical Binders

"Serving You With Locations Throughout The Nation"

Glasfloss has a policy of uninterrupted research, development and product improvement and reserves the right to change design and specifications without notice.

Air Cleaner Cross-Reference Guide

Air Cleaner Products

Glasfloss Model and Part Number

<p>Research Products Aprilaire® Model 2200, 2250 Replacement Filter Type 201 Model 2400 Replacement Filter Type 401</p>	<p>Z-Line 700 SG MERV 8 SGP20256 SGP16276</p>
<p>Trion® Air Bear - 255649-105 Air Bear - 255649-103 Air Bear - 255649-102 Air Cub - 255649-101</p>	<p>Z-Line 500 AB & 300 AB MERV 8 ABP16255 ABP20205 ABP20255 ABP16253</p>
<p>Honeywell® Model F-100 FC100A1052 FC100A1003 FC100A1029 FC100A1011 FC100A1037</p>	<p>Z-Line 400 HW MERV 8 HWP13204 HWP16204 HWP16254 HWP20204 HWP20254</p>
<p>Honeywell® Model FC40R FC40R1094 FC40R1037 FC40R1102 FC40R1110 FC40R1128 FC40R1045 FC40R1169 FC40R1052 FC40R1060 FC40R1185 FC40R1136 FC40R1830 FC40R1003 FC40R1144 FC40R1011 FC40R1029 FC40R1078 FC40R1177</p>	<p>Z-Line 400 HWR MERV 8 HWR12124 HWR12244 HWR14144 HWR14204 HWR14244 HWR14254 HWR14304 HWR16204 HWR16254 HWR18184 HWR18244 HWR18304 HWR20204 HWR20244 HWR20254 HWR20304 HWR24244 HWR24304</p>



Glasfloss Industries incorporates color-coded carton labels on standard sizes to help identify the product which enhances warehouse operations and shipments.



Distributed by:



“Serving You With Locations Throughout The Nation”

Glasfloss has a policy of uninterrupted research, development and product improvement and reserves the right to change design and specifications without notice.